## **CARBOHYDRATE RESEARCH VOL. 205 (1990)**

## **AUTHOR INDEX**

Aamlid, K. H., 446 Abbas, S. A., 385 Abdur Rahman, M., 422 Ali, M. H., 428 Altaf Hussain, S., 444 Ambrose, M. G., 377 Amess, R., 225 Awal, A., 173

Badel, A., 323
Baer, H. H., 247
Baggett, N., 225
Bajza, I., 435
Beard, A. R., 87
Beynon, L. M., 347
Bieg, T., c10
Boyd, A. S. F., 173
Brimacombe, J. S., 422
Brisson, J.-R., 133
Buchanan, J. G., 173
Butler, P. I., 87

Čadová, E., 161 Čapek, K., 161 Carpenter, T. A., 445 Carter, S. R., 181 Cenci di Bello, I., 269 Chittenden, G. J. F., 261 Clamp, J. R., 181 Collins, P. M., 428 Colquhoun, I. J., 53 Coxon, B., 377

Daniel, J. R., 45 Darby, P. R., 225 Defaye, J., 191 Desai, T., 105 Descotes, G., 323 Duce, S. L., 445 Dutton, G. G. S., 347, 361

Edgar, A. R., 173

Fatiadi, A. J., 377 Fellows, L. E., 269 Fernandez-Mayoralas, A., 105 Ferrier, R. J., 283 Fleet, G. W. J., 269 Fujii, K., 415 Gadelle, A., 191 Gan, L.-X., 45 Garegg, P. J., 125 Gigg, J., 105 Gigg, R., 105 Glushka, J. N., 305 Goode, A. R., 225 Gurjar, M. K., 398

Haines, A. H., 53, 406 Hall, L. D., 445 Horton, D., 71 Hounsell, E. F., 19

Ineyama, T., 415 Izawa, K., 415 Izquierdo Cubero, I., 293

Jacob, G. S., 269 Jacquinet, J.-C., 235 Jeanloz, R. W., 444 Jennings, H. J., 133 Jones, H. F., 53, 406

Kenne, L., 440 Khan, R., 211 Khan, S. H., 385 Kleeberg, M., 333 Köll, P., 1 Konowicz, P. A., 53, 406 Kopf, J., 1 Krogmann, C., 31

Lee, C.-K., 203 Lee, G., 446 Lehmann, J., 93 Lemieux, R. U., c12 Lindberg, B., 440 Lipták, A., 435

Mahbubur Rahman, M., 440 Malzahn, B., 1 Mann, J., 87 Matta, K. L., 385 McDonald, G., 422 Mentech, J., 323 Molyneux, R. J., 269 Mosihyzzaman, M., 440 Nakahara, Y., 147 Nash, R. J., 269 Nasir-ud-Din, 444

Ogawa, T., 147 Oscarson, S., 61 Oscarson, S., 125 Overend, W. G., 428

Pakulski, Z., 410
Parolis, H., 361
Parolis, L. A. S., 361
Partlett, N. K., 87
Paszkiewicz-Hnatiw, E., c12
Patel, G., 211
Paulsen, H., 31
Payne, D., 105
Pedersen, C., 191
Perlin, A. S., 305
Perry, M. B., 371
Plaza López-Espinosa, M. T., 293
Pozsgay, V., 133
Price, R. G., 446
Priebe, W., 71

Ramaiah Srinivas, N., 398 Ramsden, N. G., 269 Rathbone, E. B., 402 Regeling, H., 261 Richards, J. C., 347, 371 Richardson, A. C., 446 Ritzén, H., 61

Santoyo González, F., 247 Sedmera, P., 161 Sinaÿ, P., 235 Smith, B. V., 446 Spohr, U., c12 Stanley, S. M. R., 361 Stüz, A. E., 283 Suami, T., 415 Szeja, W., c10 Sznaidman, M., 71 Szönyi, M., 125 Szweda, R., c12

Thiem, J., 333

Vickers, E. E., 225

Walker-Nasir, E., 444 Whistler, R. L., 45 Williams, J. M., 181 Winchester, B., 269 Wotovic, A., 235 Wright, D. J., 19

Zamojski, A., 410 Zider, L., 93

## **SUBJECT INDEX**

- O-(2-Acetamido-2-deoxy- $\beta$ -D-glucopyranosyl)-(1 $\rightarrow$ 2)-O-(4-O-methyl- $\alpha$ -D-mannopyranosyl)-(1 $\rightarrow$ 6)- $\beta$ -D-glucopyranoside, 4-nitrophenyl, synthesis of, 385
- N-Acetylglucosaminidase-V (ChT), synthesis of a potential specific acceptor-substrate for, 385
- Acyloxonium ions in the high-yielding synthesis of oxolanes from alditols, hexoses, and hexonolactones catalysed by carboxylic acids in anhydrous hydrogen fluoride, 191
- Amino acid-containing capsular polysaccharide from E. coli 08:K49:H21, structure of the, 347
- 2,7-Anhydro-L-glycero-β-D-manno-octulopyranose and its per-O-acetyl derivate, structural and conformational studies of, 377
- 1,5-Anhydro-2-deoxyhex-1-enitols (glycals), a study of the iodoalkoxylation of, 71
- 2,3'-Anhydrosucrose, synthesis of, 161
- Assay of glycosidases, new colorimetric substrates for the, c5
- Assignment of <sup>13</sup>C and <sup>1</sup>H resonances of the sucrose moiety and the <sup>13</sup>C resonances of the carbonyl carbons of sucrose octobenzoate, 53
- Asymmetric induction in the catalytic osmylation of some  $\alpha,\beta$ -unsaturated octuronic acid derivatives, double, 422
- Benzyl glycosides, regioselective hydrogenolysis
- Binding sites in proteins, photolabile spacer-modified oligosaccharides for probing malto-oligosaccharide, 93
- Bonnet monkey (*Macacca radiata*), neutral oligosaccharides of glycoproteins of the cervical mucus of, 444
- Branched-chain, deoxynitro-1-thio-D-glucitol including a novel mode of 1-thioglycoside formation, synthetically useful transformations of a, 247
- Capsular antigen from Escherichia coli 08:K87:H19, the structure of the, 361
- Cervical mucus of the bonnet monkey, neutral oligosaccharides from the glycoproteins of, 444
- Chlorodeoxy-L-talofuranoid derivatives, synthesis and reactions of, 203
- Colorimetric substrates for the assay of glycosidases, new, c5
- Comparison of the results of sequential hydrazinolysis-nitrosation and alkali-mediated cleav-

- age-nitrosation of the O-linked oligosaccharides of gastric mucus glycoproteins, 181
- Computer-assisted interpretation of <sup>1</sup>H-n.m.r. spectra in the analysis of the structure of oligosaccharides, 19
- Conformational studies of 2,7-anhydro-L-glycero-β-D-manno-octulopyranose and its per-Oacetyl derivative, structural and, 377
- Kdo-containing pentasaccharide as part of the core-lipid A component of lipopolysaccharides, synthesis of, 31
- Core-lipid A component of lipopolysaccharides, synthesis of a Kdo-containing pentasaccharide as part of, 31
- Cytidine, synthesis of 2',3'-dideoxy-2',3'-α-methano-, 87
- Deacetylation of sucrose octa-acetate with primary amines to give 2,3,4,6,1',6'-hexa-O-acetylsucrose, selective, 406
- 6-O-Decanoyl-3,4-di-O-isobutyrylsucrose and other fatty acid esters of sucrose, synthesis of, 61
- Deoxyhexitols and derivates thereof, synthesis from D-glucono-1,5-lactone of some monoand di-, 261
- 7-Deoxy-7-nitroheptitols, crystal structures of, 1
- 2',3'-Dideoxy-2',3'-α-methanocytidine, synthesis of 87
- 2,3-Diamino-1-cyclohexanols, synthesis and resolution of, 415
- Disaccharides related to heparin and heparan sulfate, formation by chemical modification of maltose, 305
- Dodecagalacturonic acid (a phytoalexin elicitor of soybean), stereoselective total synthesis of, 147
- Enantiomers of 6-epicastanospermine and 1,6diepicastanospermine, synthesis from D- and L-gulonolactone, 269
- Enantiospecific synthesis of (-)-talaromycins A and B from D-fructose, 293
- Enzyme assays, synthesis of luciferin glycosides as substrates for novel ultrasensitive, 225
- 6-Epicastanospermine and 1,6-diepicastanospermine, synthesis from D- and L-gulonolactone of the enantiomers of, 269
- Erythritol and ribitol, formation of isopropyli-

dene acetals of, under conditions of kinetic control, 173

Escherichia coli 08:K87:H19, the structure of the capsular antigen from, 361

Escherichia hermannii (ATCC 33651) lipopolysaccharide O-chain, identification as a D-rhamnan, 371

Exocyclic glycal, synthesis and reations of leucrose and its, 333

Formation of disaccharides related to heparin and heparan sulfate by chemical modification of maltose, 305

Formation of isopropylidene acetals of erythritol and ribitol under conditions of kinetic control, 173

N-Formylkanosamine glycosyl donor, synthesis of phenyl 4-(N-benzylformamido)-4,6-dide-oxy-3-C-methyl-2-O-methyl-1-thio-α-L-mannopyranoside, 435

D-Fructose, an enantiospecific synthesis of (-)-talaromycins A and B from, 293

Fucofuranoside, a novel synthesis of methyl 2-*O*-methyl-α,β-L-, 398

O-β-D-Galactopyranosyl- $(1\rightarrow 2)$ -O-α-D-xylopyranosyl- $(1\rightarrow 6)$ -O-β-D-glucopyranosyl- $(1\rightarrow 4)$ -β-D-glucopyranoside, a chemical synthesis of propyl, 235

Garegg-Samuelsson olefination reaction, new observation on the, 410

3-*O*-(α-D-glucopyranosyl)-7-*O*-(L-*glycero*-α-D*manno*-heptopyranosyl)-L-*glycero*-D-*manno*heptopyranoside, synthesis of methyl, 125

D-Glucono-1,5-lactone, synthesis of some monodeoxy- and dideoxy-hexitols and derivatives thereof from, 261

D-Glucose, halogenation reactions of derivatives of sucrose and, 211

Glycals, a study of the iodoalkoxylation of, 71

Glycoproteins of the cervical mucus of the bonnet monkey, characterization of the neutral oligosaccharides of, 444

Glycosidases, new colorimetric substrates for the assay of, c5

Halogenation reactions of derivatives of D-glucose and sucrose, 211

Heptitols, nitro-, crystal structures of, 1

Hexa-O-benzyl-5-hydroxy-pseudo-α-D-glucopyranose and its C-5 epimer, synthesis of, 283

Hydrazinolysis-nitrosation and alkali-mediated cleavage-nitrosation of the *O*-linked oligosac-charides of gastric mucus glycoproteins, a comparison of the results of sequential, 181

Hydrogen fluoride, acyloxonium ions in the highyielding synthesis of oxolanes from alditols, hexoses, and hexonolactones catalysed by carboxylic acids in, 191

Hydrogenolysis of benzyl glycosides, regioselective, c10

Identification of sucrose acetates, n.m.r. method for the, 402

myo-Inositol, synthesis and resolution of (+)-1,5,6-tri-O-benzyl-, 105

Iodoalkoxylation of 1,5-anhydro-2-deoxyhex-1-enitols (glycals), a study of the, 71

Isopropylidene acetals of erythritol and ribitol, formation of, under conditions of kinetic control, 173

Leucrose and its exocyclic glycal, synthesis and reactions of, 333

Lewis b tetrasaccharide by a lectin and a monoclonal antibody, the effect of substituting key hydroxyl groups by amino groups on the binding of a, c12

Lipid A-core component of lipopolysaccharides, synthesis of a Kdo-containing pentasaccharide as part of, 31

Lipopolysaccharide O-chain of *Escherichia her-mannii* (ATCC 33651), identification as a D-rhamnan, 371

Lipopolysaccharides, synthesis of a Kdo-containing pentasaccharide as part of the core-lipid A component of, 31

Luciferin glycosides as substrates for novel ultrasensitive enzyme assays, synthesis of, 225

Malto-oligosaccharide binding sites in proteins, photolabile spacer-modified oligosaccharides for probing, 93

Maltose, formation of disaccharides related to heparin and heparan sulfate by chemical modification of, 305

Methyl 3-*O*-(α-D-glucopyranosyl)-7-*O*-(L-*glyce-ro*-α-D-*manno*-heptopyranosyl)-L-*glycero*-α-D-*manno*-heptopyranoside, synthesis of, 125

Methyl 2-*O*-methyl-α,β-L-fucofuranoside, a novel synthesis of, 398

Methylene transfer reactions on sugar esters, lactones, and uloses, titanium-mediated, 428

Monoclonal antibody, the effect of substituting key hydroxyl groups by amino groups on the binding of the Lewis b tetrasaccharide by a lectin and a, C12

Nitroheptitols, crystal structures of, 1

4-Nitrophenyl O-(2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl)-(1 $\rightarrow$ 2)-O-(4-O-methyl- $\alpha$ -D-mannopyranosyl)-(1 $\rightarrow$ 6)- $\beta$ -D-glucopyranoside, synthesis of, 385

N.m.r. imaging to map the spatial distribution of structure in polysaccharide gels, use of, c1

N.m.r. method for the identification of sucrose

acetates, 402

N.m.r. spectra in the analysis of the structure of oligosaccharides, computer-assisted interpretation of <sup>1</sup>H-, 19

Novel synthesis of methyl 2-O-methyl-α,β-L-fucofuranoside, 398

Observations on the Garegg-Samuelsson olefination reaction, new, 410

Octuronic acid derivatives, double asymmetric induction in the catalytic osmylation of some  $\alpha,\beta$ -unsaturated, 422

Olefination reaction, new observations on the Garegg-Samuelsson, 410

Oligosaccharides, computer-assisted interpretation of <sup>1</sup>H-n.m.r. spectra in the analysis of the structure of, 19

Oligosaccharides of gastric mucus glycoproteins, a comparison of the results of sequential hydrazinolysis–nitrosation an alkali-mediated cleavage–nitrosation of the *O*-linked, 181

Osmylation of some  $\alpha,\beta$ -unsaturated octuronic acid derivates, double asymmetric induction in the catalytic, 422

Oxidation of sucrose with sodium metaperiodate, 223

Periodate oxidation of sucrose, 323

Phenyl 4-(N-benzylformamido)-4,6-dideoxy-3-C-methyl-2-O-methyl-1-thio-α-L-mannopyranoside, an N-formylkanosamine glycosyl donor, synthesis of, 435

Polysaccharide from E. coli 08:K49:H21, structure of the amino acid-containing capsular, 347

Polysaccharide gels, use of n.m.r. imaging to map the spatial distribution of structure in, Cl

Polysaccharide of type III Group B Streptococcus, synthesis of a tri- and a tetra-saccharide fragment of the capsular, 133

Polysaccharide of *Vibrio fluvialis* AA-18239, structural studies of the O-antigen, 440

Propyl  $O-\beta$ -D-galactopyranosyl- $(1 \rightarrow 2)$ - $O-\alpha$ -D-xylopyranosyl- $(1 \rightarrow 4)$ - $\beta$ -D-glycopyranoside, a chemical synthesis of, 235

Pseudo-α-D-glucopyranose, synthesis of hexa-O-benzyl-5-hydroxy-, and its C-5 epimer, 283

Regioselective hydrogenolysis of benzyl glycosides, c10

Resolution of 2,3-diamino-1-cyclohexanols, synthesis and, 415

Resolution of  $(\pm)$ -1,5,6-tri-O-benzyl-myo-inositol, synthesis and, 105

D-Rhamnan, identification of the lipopolysaccharide O-chain of *Escherichia hermannii* (ATCC 33651) as a, 371

Selective deacetylation of sucrose octa-acetate with primary amines to give 2,3,4,6,1',6'-hexa-*O*-acetylsucrose, 406

Selective deacylation of sucrose octabenzoate, use of <sup>13</sup>C-n.m.r. spectroscopy for the study of the, 53

Spacer-modified oligosaccharides for probing malto-oligosaccharide binding sites in proteins, photolabile, 93

Stereoselective total synthesis of dodecagalacturonic acid, a phytoalexin elicitor of soybean, 147

Structural and conformational studies of 2,7-an-hydro-L-glycero-β-D-manno-octulopyranose and its per-O-acetyl derivative, 377

Structural studies of the O-antigen polysaccharide of *Vibrio fluvialis* AA-18239, 440

Structure in polysaccharide gels, use of n.m.r. imaging to map the spatial distribution of, c1

Structure of the amino-containing capsular polysaccharide from *E. coli* 08:K49:H21, 347

Structure of the capsular antigen from *Escherichia* coli 08:K87:H19, 361

Substituting key hydroxyl groups by amino groups on the binding of Lewis b tetrasaccharide by a lectin and a monoclonal antibody, the effect of, c12

Sucrose acetates, n.m.r. method for the identification of, 402

Sucrose and D-fructose, synthesis of sweet-tasting methylthio derivatives of, 45

Sucrose, halogenation reactions of derivatives of D-glucose and, 211

Sucrose octa-acetate, selective deacetylation with primary amines, to give 2,3,4,6,1',6'-hexa-*O*-acetylsucrose, 406

Sucrose actabenzoate: assignment of <sup>13</sup>C and <sup>1</sup>H resonances of the sucrose moiety and the <sup>13</sup>C resonances of the carbonyl carbons, 53

Sucrose, periodate oxidation of, 323

Sucrose, syntheses of four fatty acid esters of, found in a wild potato, 61

Sucrose, synthesis of 2,3'-anhydro-, 161

Sugar esters, lactones, and uloses, titanium-mediated methylene transfer reactions on, 428

Sweet-tasting methylthio derivatives of D-fructose and sucrose, synthesis of, 45

Synthesis of a tri- and a tetra-saccharide fragment of the capsular polysacchride of type III Group B Streptococcus, 133

Synthesis and reactions of chlorodeoxy-L-talofuranoid derivatives, 203

Synthesis and reactions of leucrose and its exocyclic glycal, 333

Synthesis and resolution of 2,3-diamino-1-cyclohexanols, 415

Synthesis of 2,3'-anhydrosucrose, 161

- Synthesis of 2',3'-dideoxy-2',3'-α-methanocytidine, 87
- Synthesis of dodecagalacturonic acid (a phytoalexin elicitor of soybean), stereoselective total, 147
- Syntheses of four fatty acid esters of sucrose found in a wild potato, including the major component 6-O-decanoyl-3,4-di-O-isobutyrylsucrose, 61
- Synthesis of luciferin glycosides as substrates for novel ultrasensitive enzyme asays, 225
- Synthesis of methyl 3-*O*-(α-D-glucopyranosyl)-7- *O*-(L-glycero-α-D-manno-heptopyranosyl)-Lglycero-α-D-manno-heptopyranoside, 125
- Synthesis of propyl  $O-\beta$ -D-galactopyranosyl- $(1\rightarrow 2)$ - $O-\alpha$ -D-xylopryanosyl- $(1\rightarrow 6)$ - $O-\beta$ -D-glucopyranosyl- $(1\rightarrow 4)$ - $\beta$ -D-glucopyranoside, a chemical, 235
- Synthesis of resolution of  $(\pm)$ -1,5,6-tri-O-benzyl-myo-inositol, 105
- Synthesis of some monodeoxy- and dideoxy-hexitols, and derivatives thereof, from D-gluco-no-1,5-lactone, 261
- Synthesis of oxolanes from alditols, hexoses, and hexonolactones catalysed by carboxylic acids in anhydrous hydrogen fluoride, acyloxonium ions in the high-yielding, 191
- Synthesis of sweet-tasting methylthio derivatives of D-fructose and sucrose, 45

- Synthesis of the enantiomers of 6-epicastanospermine and 1,6-diepicastanospermine from Dand L-gulonalactone, 269
- Synthesis on phenyl 4-(*N*-benzylformamido)-4,6-dideoxy-3-*C*-methyl-2-*O*-methyl-1-thio-α-L-mannopyranoside, an *N*-formylkanosamine glycosyl donor, 435
- Synthetically useful tranformations of a branched-chain, deoxynitro-1-thio-D-glucitol including a novel mode of 1-thioglycoside formation, 247
- (-)-Talaromycins A and B, enantiospecific synthesis from D-fructose, 293
- L-Talofuranoid derivatives, synthesis and reactions of chlorodeoxy-, 203
- Thioglycoside formation, synthetically useful tranformations of a branched-chain, deoxynitro-1-thio-D-glucitol including a novel mode of 1-, 247
- Titanium-mediated methylene transfer reactions on sugar esters, lactones und uloses, 428
- Tri- and tetra-saccharide fragments of the capsular polysaccharide of type III Group B Streptococcus, synthesis of, 133
- Vibrio fluvialis AA-18239, structural studies of the O-antigen polysaccharide of, 440